



Revo (Model 53097-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

5262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (TRX 2.5, 2.5R, 3.3)
5266	Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ air filter base (angled)/wire mount/hardware (1 each) (TRX® 2.5, 2.5R, 3.3)
5263	Oil, air filter

Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
4611	Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5115	Ball bearings, blue rubber sealed (5x10x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5121	Bearing, needle roller (6x10x8mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
4915	Body washers, foam adhesive (10)
5320	Body, Revo® (Platinum Edition) (clear, requires painting)/decalsheet
5387	Body, Revo® 3.3 (clear, requires painting)/ window, lights, grille decal sheet
5387X	Body, Revo® 3.3, ProGraphix® (replacement for painted body. Graphics are printed, requires paint & final color application)/decalsheet
2514	Decal sheet, racing sponsors
5313R	Decal sheets, Revo® 3.3
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
5413	Wing mount, center / wing washers (for Revo®)
5411	Wing mount, Revo® (complete minus wing, part #5412 or other)
5446	Wing, Revo® (black)/ decal sheet
5446G	Wing, Revo® (Exo-Carbon finish)/ decal sheet
5412	Wing, Revo® (white)/ decal sheet

Brake Components

5388	Brake cam (1)/ sleeve (1)
5364	Brake disc (40mm steel)
5364X	Brake disc (high performance, vented)
5565X	Brake disc hub (for Revo® rear brake kit)/ 2mm pin (1)/ brake pads (3)
5417	Brake kit, rear (dual-disc Revo®) (Requires center differential part 5414 and gearbox housing 5391X)
5365	Brake pad set (inner and outer calipers with bonded friction material)
5418	Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)
5368	Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
5457	Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin

Bumpers & Skidplates

5335A	Bumper, front (chrome)/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5336A	Bumper, rear (chrome)/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5335X	Bumpers, front and rear (black chrome)
5315	Guards, steering servo (2)
5316	Roll hoop, plastic/ transmission skid guard, plastic
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1)(fits 1/10 scale Revo trucks)

5472	Wheelie bar, assembled (fits all 1/10th scale Revo trucks)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Chassis & Attachments

5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
5324X	Box, receiver & battery (2)/ cover/ foam pad & adhesive/ charge jack plug (rubber)/ 4x8mm BCS (1)/ 4x12mm BCS (2) (contains both boxes to accommodate either AA battery holder or RX flat pack)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5361	Chassis brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
5322X	Chassis, Revo® 3.3 (extended 30mm) (3mm 6061-T6 aluminum) (anodized blue)
5326X	Cover plate, steering servo/ 3x8 BCS (4)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
5325X	Electronics box, left/ box cover
5324	Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive (use with OptiDrive electronic shift module)
5315	Guards, steering servo (2)
5325R	Servo mount, throttle/ 4x10mm BCS (2)
5326	Servo mounts, steering (2)
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1)(fits 1/10 scale Revo trucks)
5472	Wheelie bar, assembled (fits all 1/10th scale Revo trucks)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2)
4611	Ball bearings (5x11x4mm) (2)
5214	Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
5216	Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
5217	Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
4146X	Clutch shoes (2)/ spring (T-Maxx®/Revo®/Jato®/Nitro 4-Tec®)
3281	Cone, split beveled
1633	E-clips/ C-rings
6542X	Flywheel (large, knurled for use with starter boxes)
4142	Flywheel (N. Rustler®/Sport®/Stampede®/T-Maxx®/Revo®/Jato®)
5244	Flywheel nut (TRX® 2.5, 2.5R, 3.3)
6542	Flywheel with magnet (35mm)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5417	Brake kit, rear (dual-disc Revo®) (Requires center differential part 5414 and gearbox housing 5391X)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5414	Differential kit, center (complete for Revo®) (assembled with 100K oil) Requires forward-only conversion (Included)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
5414X	Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)

Page 2 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

5416	Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))
5415	Gear, differential output (Revo® center diff, rear with rear brake kit (5417))
5380	Housings, differential (front & rear) (1)
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt)
5136	Oil, differential (30K wt)
5039	Oil, differential (500K wt)
5137	Oil, differential (50K wt)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
5381X	Spool, differential (eliminates differential. Use off-road only) (requires #5379X ring gear)

Driveline Components

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5459	Boots, driveshaft (rubber) (2)
5153R	Drive cups, inner (2) Revo® (steel constant-velocity driveshafts)/screw pin, M4/15 (2) (for use only with 5333R adjustable wheelbase rear suspension arms)
5153	Drive cups, inner (2) Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity driveshafts)/ screw pin, M4/15 (2)
5451X	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)
5154	Driveshaft, steel constant-velocity, Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (shaft only, 128.5mm)/ drive cup pin (1)
5451R	Driveshafts, Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity) (assembled w/inner & outer dust boots) (for models w/ 6mm axles) (4)
5150	E-clips, 1.5mm (24)
5450	Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
5455	Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
5456	Half shafts, center front (Revo 3.3) (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
4955	Pins, axle (2.5x12mm) (4)
5129	Rebuild kit (for Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx steel constant-velocity driveshafts) (includes pins, dustboots, & lube for 2 driveshafts assemblies)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
5454	Stub axle (steel) (2)
5166	Stub axle, (1)/ axle sleeve (1) Revo®/T-Maxx®/E-Maxx (steel constant-velocity driveshaft)
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5457	Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin
5458X	Yokes, differential and transmission (2)/ 4x15mm screw pins (2)
5453	Yokes, stub axle (2)/ pins (2)

Engine & Servo Mounts

5360X	Big block Installation kit (engine mount and required hardware)
5361	Chassis brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
5360	Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
5325R	Servo mount, throttle/ 4x10mm BCS (2)
5326	Servo mounts, steering (2)

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)
-------	--

5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness
3980	Glow plug wrench (universal wrench)
3232X	Glow plug, super-duty (long-medium)/gasket
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
5290	Piston/sleeve (matched set), wrist pin clips (2) (TRX® 3.3)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Exhaust

3155	Cable ties, medium (black) (6)
5346	Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1)
5254	Header spring/ gaskets (TRX® 2.5, 2.5R, 3.3)
5340	Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R, 3.3)
5340X	Header, exhaust (tubular aluminum, silver-anodized)/ spring mount (TRX® 2.5, 2.5R, 3.3)
5256	O-ring, header 12.2x1mm (TRX® 2.5, 2.5R, 3.3)
5245X	Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)
5245	Pipe coupler, molded (blue)/ exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
5342	Tuned pipe, aluminum, blue-anodized (dual chamber with pressure fitting)/ 4mm GS
5493	Tuned pipe, Resonator, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Revo® and Slayer with TRX® Racing Engines)
5490	Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Revo® & Slayer with TRX® Racing Engines)

EZ Start 2 & Related parts

4579X	Connector, wiring harness (EZ-Start® and EZ-Start® 2)
5280	Control box (complete) (EZ-Start® 2)
5281	Control box battery cover w/ belt clip (EZ-Start® 2)
5273	Cush-drive elements (4) (EZ-Start® 2)
5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness
5276	Gear set (complete) (EZ-Start® 2)
5148	Grease, white lithium
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
4581X	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)
5279	Motor/ pinion gear/ motor bushing (EZ-Start® 2)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
5169	Screws, 2.6x8mm countersunk machine (6)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)
5317	Wire clips, chassis (4)/ wire clip (1)/ Shock mounts (front & Rear)/ 3x32mm CS (4)

Front Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5495	Linkage, front sway bar (Revo®/Slayer) (3x70mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)

Page 3 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

5354X	Rocker arm post (aluminum) (4)	3236	Screws, 2.5x12mm cap-head machine (6)
5354	Rocker arm post (steel) (2)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)	3965	Screws, 2.5x8mm cap-head machine (6)
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)	5169	Screws, 2.6x8mm countersunk machine (6)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)	2674	Screws, 2x6mm roundhead self-tapping (6)
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
5189	Screw pins, 4x13mm (with threadlock) (4)	2587	Screws, 3x10mm cap-head machine (6) (no washer)
5133A	Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)	3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5332	Suspension arm upper (1)/ suspension arm lower (1) (left front)	5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
5331	Suspension arms upper (1)/ suspension arm lower (1) (right front)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
5498	Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
5496	Sway bar mounts (front & rear) (Revo®)/ sway bar wires (front & rear) (4)/ drill guide/ spacers	5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
5338	Toe link, 5.0mm steel (front or rear) (2)	2553	Screws, 3x15mm countersunk machine (6) (hex drive)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)	2580	Screws, 3x20mm button-head machine (hex drive) (6)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)	4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)

Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3147X	Fuel line (610mm or 2ft)
5363X	Fuel tank, 150cc (complete)
3149A	Heat shield tubing, fiberglass (2) (black)
5362	O-ring, fuel tank cap (Revo®) (2)
5367	Pull ring, fuel tank cap (1)/ engine shut-off clamp (1)
5376	Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap o-ring, cap o-ring retainer, cap pull ring, spring, hardware)

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5263	Oil, air filter
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt)
5136	Oil, differential (30K wt)
5039	Oil, differential (500K wt)
5137	Oil, differential (50K wt)
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
1666	Silicone shock oil (30 wt)
5070	Top Fuel®, 20% nitro (gallon)
5020	Top Fuel®, 20% nitro (quart)
5080	Top Fuel®, 33% nitro (gallon)
5030	Top Fuel®, 33% nitro (quart)

Hardware

3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
3182	Collars, screw (2)/ set screws, 3mm (2)
5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
2745	Nuts, 3mm nylon locking (12)
4147	Nuts, 5mm nylon locking (8)
3982	PTFE-coated 6x8x0.5 (10)
4987	Rings, retainer (snap rings) (14mm) (2)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)

3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
5169	Screws, 2.6x8mm countersunk machine (6)
2674	Screws, 2x6mm roundhead self-tapping (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
3963	Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3964	Screws, 3x32mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
3940	Screws, 4x4mm button-head machine, aluminum (blue) (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
4897	Screws, set (grub) 4mm (6) (with threadlock)
2743	Set (grub) screws, 3mm hardened (12)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm

Radio System, Batteries & Chargers

3028	Adapter, Molex to Traxxas® receiver battery pack (for charging) (1)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2734	Cable ties (small) (10)
2977	Charger, DC, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
6556	Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6536	Mounts, RPM sensor (nitro engines)/ 3x10mm CS with split and flat washers (2)
3029	Plug Adapter (For TRX® Power Charger to charge 7.2V Packs)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)

Page 4 Revo: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 53097-3) Parts List

2053	Servo gears (for 2055, 2056 servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3035	Wiring harness for RX Power Pack, Revo® (includes on/off switch and charge jack)

Ready-To-Race Model

53097-3	Revo® 3.3: 1/10 Scale 4WD Nitro-Powered Monster Truck (with Telemetry Sensors) with TQi 2.4GHz Radio System, Traxxas Link™ Wireless Module, and Traxxas Stability Management (TSM)®
---------	---

Rear Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5497	Linkage, rear sway bar (Revo®/Slayer) (3x50mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5354X	Rocker arm post (aluminum) (4)
5354	Rocker arm post (steel) (2)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5189	Screw pins, 4x13mm (with threadlock) (4)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5333R	Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))
5333	Suspension arm upper (1)/ suspension arm lower (1) (rear, left or right)
5328	Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1))
5327	Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
5498	Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)
5496	Sway bar mounts (front & rear) (Revo®)/ sway bar wires (front & rear) (4)/ drill guide/ spacers

5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Recoil Starter

5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Shocks (GTR)

5466R	Bodies, GTR shock (hard-anodized, PTFE-coated aluminum) (4), with TiN shafts (4) (bodies and shafts only)
5466	Body, GTR shock (aluminum) (1)
5467A	Body, GTR shock (aluminum, blue-anodized) (1)
5467R	Body, GTR shock (aluminum, red-anodized) (1)
5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks) (6)
5463	Shaft, GTR shock (2) (stainless)
5463T	Shaft, GTR shock, TiN-coated (2)
5460	Shocks, GTR aluminum (assembled) (2) (without springs)
5460A	Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
5460R	Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
1666	Silicone shock oil (30 wt)
5461	Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Slipper Clutch Components

5478	Flat wrench, 8mm (blue-anodized aluminum)
5366	Input shaft, transmission (slipper shaft)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)

Springs

5435	Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436	Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437	Spring, shock (red) (GTR) (3.2 rate orange) (std. front 90mm) (1 pair)
5438	Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439	Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440	Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
5441	Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
5442	Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)
5444	Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)
5445	Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
5443	Spring, shock red (GTR) (5.4 rate pink) (1 pair)

Spur Gears & Clutch Bells

5214	Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
5216	Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
5217	Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3953	Spur gear, 36-tooth (1.0 metric pitch)
3954	Spur gear, 38-tooth (1.0 metric pitch)
3955	Spur gear, 40-tooth (1.0 metric pitch)

Steering Components

2072A	Gear set (for 2070, 2075 servos)
5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Suspension Linkage

5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage

5388	Brake cam (1)/ sleeve (1)
3182	Collars, screw (2)/ set screws, 3mm (2)
5418	Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)
5368	Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5392	Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
4046	Spring, throttle return (2) (Revo®/Slayer)

Tires & Wheels

4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955	Pins, axle (2.5x12mm) (4)
5189	Screw pins, 4x13mm (with threadlock) (4)
3965	Screws, 2.5x8mm cap-head machine (6)
5666	Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664	Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667	Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665	Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5374X	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5674	Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5672	Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part # 5353X) (TSM rated)
4973R	Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174A	Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)
5171	Tires, Maxx® Chevron 3.8" (2) (fits Revo®/T-Maxx®/E-Maxx)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
5370	Tires, Talon 3.8" (2)/ foam inserts (2)
4954	Wheel hubs, hex (2)/ axle pins (2.5x12mm) (2)
4954R	Wheel hubs, hex (steel)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5372A	Wheels, Gemini 3.8" (black chrome) (2)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372	Wheels, Gemini 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5671	Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373	Wheels, Hurricane 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5172A	Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)

5172X	Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5172R	Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
5172	Wheels, SS (Split-Spoke) 3.8" (satin) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)

Transmission Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5388	Brake cam (1)/ sleeve (1)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
5414	Differential kit, center (complete for Revo®) (assembled with 100K oil) Requires forward-only conversion (included)
5394X	Forward only conversion kit (eliminates reverse)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5414X	Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)
5416	Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))
5415	Gear, differential output (Revo® center diff, rear with rear brake kit (5417))
5377	Gear, idler/ idler gear support/ bearing (pressed in)
5391R	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
5366	Input shaft, transmission (slipper shaft)
5368	Linkage set, throttle & brake, Revo®/Slayer (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5392	Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)
5398	Optidrive® electronic shift module
5397	Optidrive® sensor assembly/ 2.5x6mm CS (2)
5395	Output gears, forward & reverse/ drive dog carrier
5369	Output shaft, transmission
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5396X	Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW
3982	PTFE-coated 6x8x0.5 (10)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5395X	Reverse installation kit (includes all components to add mechanical reverse (no Optidrive®) to Revo®) (includes 2060 sub-micro servo)
5389X	Shift fork/ shaft
5491	Transmission, complete (fits Revo® 3.3)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

5477	Flat wrench, 5mm (blue-anodized aluminum)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5396X	Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM