



T-Maxx (Model 49077-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

5262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (TRX 2.5, 2.5R, 3.3)
5267	Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ T-Maxx® filter base (angled)/ wire mount/ hardware (1 each) (Fits Maxx® trucks) (TRX® 2.5, 2.5R, 3.3)
5263	Oil, air filter

Bearings & Bushings

4611	Ball bearings (5x11x4mm) (2)
2728	Ball bearings (5x8x2.5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3170X	Battery holder, 4-cell/ on-off switch
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)
1815	Body washers (8)
4915	Body washers, foam adhesive (10)
4921	Body, T-Maxx® (long wheelbase) (clear, requires painting)/ window, lights decal sheet
4921X	Body, T-Maxx®, ProGraphix® (long wheelbase) (replacement for painted body. Graphics are painted, requires paint and final color application)/ window, grille, lights decal sheet
2514	Decal sheet, racing sponsors
4920X	Decal sheets, T-Maxx® 3.3 (long wheelbase) (model 4908)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar mount (1)
4975	Wheelie bar, assembled (fits all T-Maxx® and E-Maxx® trucks)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Brake Components

4966	Brake adapter, hex aluminum (blue)
4967	Brake cam (blue)/ cam lever/ 3mm set screw
5364	Brake disc (40mm steel)
5364X	Brake disc (high performance, vented)
5365	Brake pad set (inner and outer calipers with bonded friction material)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)

Bumpers & Skidplates

3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
4936	Bumper mounts, front (l&r)/ bumper mounts, rear (l&r)/ 3x12mm RHM screws (8)
4935X	Bumpers, 6061-T6, brushed aluminum (f&r)
4935	Bumpers, satin finished (f&r)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
4937	Skidplate, front plastic/ stainless steel plate (black)
4937A	Skidplate, front plastic (grey)/ stainless steel plate
4938	Skidplate, rear plastic/ stainless steel plate (black)
4938A	Skidplate, rear plastic (grey)/ stainless steel plate
4969	Skidplate, transmission, nylon (grey) (for long wheelbase chassis)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar mount (1)
4975	Wheelie bar, assembled (fits all T-Maxx® and E-Maxx® trucks)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)

5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Chassis & Attachments

3170X	Battery holder, 4-cell/ on-off switch
4925X	Box, battery (grey)/ adhesive foam chassis pad/charge jack plug (rubber)
5159	Box, receiver (upper and lower halves)/ clip (1)/ foam pad
4963	Chassis braces, lower (black) (for long wheelbase chassis) (2)
5122X	Chassis, T-Maxx®, long wheelbase (extended 30mm) (6061-T6 aluminum, 4.0mm) (blue anodized)
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
4977	Wheelie bar mount (1)
4975	Wheelie bar, assembled (fits all T-Maxx® and E-Maxx® trucks)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Clutch & Related Parts

4611	Ball bearings (5x11x4mm) (2)
4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
4122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
4124	Clutch bell, (24-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
4146X	Clutch shoes (2)/ spring (T-Maxx®/Revo®/Jato®/Nitro 4-Tec®)
3281	Cone, split beveled
1633	E-clips/ C-rings
6542X	Flywheel (large, knurled for use with starter boxes)
5244	Flywheel nut (TRX® 2.5, 2.5R, 3.3)
6542	Flywheel with magnet (35mm)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
3979	Housings, differential (left & right)/ pinion collar (1)
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt)
5136	Oil, differential (30K wt)
5039	Oil, differential (500K wt)
5137	Oil, differential (50K wt)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

5334	Axle carriers, left & right (1 each)
5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5459	Boots, driveshaft (rubber) (2)
5153	Drive cups, inner (2) Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity driveshafts)/ screw pin, M4/15 (2)
5451X	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)
5154	Driveshaft, steel constant-velocity, Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (shaft only, 128.5mm)/ drive cup pin (1)
5451R	Driveshafts, Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity) (assembled w/inner & outer dust boots) (for models w/ 6mm axles) (4)
5150	E-clips, 1.5mm (24)

Page 2 T-Maxx: TRX 3.3, TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 49077-3) Parts List

5456	Half shafts, center front (Revo 3.3) (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)
4955	Pins, axle (2.5x12mm) (4)
5129	Rebuild kit (for Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx steel constant-velocity driveshafts) (includes pins, dustboots, & lube for 2 driveshafts assemblies)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
5454	Stub axle (steel) (2)
5166	Stub axle, (1)/ axle sleeve (1) Revo®/T-Maxx®/E-Maxx (steel constant-velocity driveshaft)
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
4954	Wheel hubs, hex (2)/ axle pins (2.5x12mm) (2)
4954R	Wheel hubs, hex (steel)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5457	Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin
5458X	Yokes, differential and transmission (2)/ 4x15mm screw pins (2)
5453	Yokes, stub axle (2)/ pins (2)

Engine & Servo Mounts

5160	Engine mount, aluminum/ 3x10 CS with washers (8)
4960X	Engine mount, machined 6061-T6 aluminum (blue) (w/ screws) (T-Maxx® Series)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
4918	Servo mounts, steering/ shift (f&r) (black)
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8)
4918A	Servo mounts, steering/shift (f&r)(grey)
4919	Servo mounts, throttle/ brake (1) (black)
4919X	Servo mounts, throttle/ brake (machined aluminum) (blue) (f&r)/ machine screws (8)
4919A	Servo mounts, throttle/brake (1) (grey)

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)
3232X	Glow plug, super-duty (long-medium)/gasket
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
5290	Piston/sleeve (matched set), wrist pin clips (2) (TRX® 3.3)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Exhaust

3155	Cable ties, medium (black) (6)
3296	Fittings, inlet (nipple) for fuel or water cooling (2)
4961	Hanger, metal wire (for Resonator pipe in T-Maxx® with long wheelbase)/ telemetry sensor wire hold-down clip
5140	Header, aluminum (T-Maxx®) (for rear exhaust engines only) (TRX 2.5, 2.5R, 3.3)
5256	O-ring, header 12.2x1mm (TRX® 2.5, 2.5R, 3.3)
5246	Pipe coupler, molded (for use with pipes 5152 (T Maxx) & 4452R) (TRX 2.5, 2.5R, 3.3)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
5487	Tuned pipe, Resonator, R.O.A.R. legal (aluminum, double-chamber) (fits T-Maxx® vehicles with TRX® Racing Engines)

EZ Start 2 & Related parts

4579	Connector, wiring harness (EZ-Start® and EZ-Start® 2)
5280	Control box (complete) (EZ-Start® 2)
5281	Control box battery cover w/ belt clip (EZ-Start® 2)
5273	Cush-drive elements (4) (EZ-Start® 2)
5270R	EZ-Start® 2, complete system with controller, drive unit, wiring harness

5276	Gear set (complete) (EZ-Start® 2)
5148	Grease, white lithium
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
4581	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)
4581X	Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)
5279	Motor (hi-torque)/ pinion gear/ motor bushing (EZ Start 2)
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
5169	Screws, 2.6x8mm countersunk machine (6)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)

Front Suspension & Steering

4934X	Aluminum caps, pivot ball (blue-anodized) (4)
5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
2728	Ball bearings (5x8x2.5mm) (2)
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
4930R	Bulkheads (l & r) (front) (grey)
5134	Caster spacers (4)/ shims (4)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
4859	Screws, 3x10 flathead machine (hex drive) (4)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
2070	Servo, digital high-torque (ball bearing)
4917R	Shock tower (for rectangular body posts)
4945	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer (requires 5x11mm BB (2))
5132R	Suspension arms (lower) (2) (fits T-Maxx®/E-Maxx)
5131R	Suspension arms (upper) (2) (fits T-Maxx®/E-Maxx)
5161	Suspension screw pin set, hardened steel (hex drive)
5141A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)

Fuel Tank & Line

3147	Fuel line (1 foot)
3147X	Fuel line (610mm or 2ft)
4948	Fuel Tank (125cc)
4958	Fuel tank rebuild kit (contains cap, foam washer, o-ring, upper/lower retainers, screw, spring and screw pin)
3149A	Heat shield tubing, fiberglass (2) (black)

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5263	Oil, air filter
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	Top Fuel®, 20% nitro (gallon)
5020	Top Fuel®, 20% nitro (quart)
5080	Top Fuel®, 33% nitro (gallon)
5030	Top Fuel®, 33% nitro (quart)

Hardware

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)

3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
5150	E-clips, 1.5mm (24)
1633	E-clips/ C-rings
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX 2.5, 2.5R, 3.3)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5475	Multi-tool (plastic)
2745	Nuts, 3mm nylon locking (12)
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4147	Nuts, 5mm nylon locking (8)
3982	PTFE-coated 6x8x0.5 (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
5169	Screws, 2.6x8mm countersunk machine (6)
2562	Screws, 2.6x8mm roundhead machine (6)
3161	Screws, 2x8mm countersunk machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
4859	Screws, 3x10 flat-head machine (hex head) (4)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2550	Screws, 3x8mm countersunk machine (6) (hex drive)
4897	Screws, set (grub) 4mm (6) (with threadlock)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
3981	Washer, PTFE-coated 6x9.5x.5 (10)
2746	Washers, 3x6mm metal (12)

Manuals

5299R Engine Manual, TRX® 2.5, 2.5R, 3.3

Radio System, Batteries & Chargers

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
3037	Battery, RX Power Pack (5-cell hump style, NiMH, 1200mAh)
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2734	Cable ties (small) (10)
2977	Charger, DC, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2010	Gear set (for 2018 servos)
2072A	Gear set (for 2070, 2075 servos)
6556	Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6536	Mounts, RPM sensor (nitro engines)/ 3x10mm CS with split and flat washers (2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)

3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2071	Servo case (for 2070 servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3034	Wiring harness for RX Power Pack, Traxxas® nitro vehicles (includes on/off switch and charge jack)

Ready-To-Race Model

49077-3 T-Maxx® 3.3: 1/10 Scale Nitro-Powered 4WD Maxx® Monster Truck with TQi 2.4GHz Radio System, Traxxas Link™ Wireless Module, and Traxxas Stability Management (TSM)®

Rear Suspension

4934X	Aluminum caps, pivot ball (blue-anodized) (4)
5334	Axle carriers, left & right (1 each)
5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
4914R	Body mount posts, front (2)/ body mount, rear/ body mount screw pins (4)
3930	Bulkhead cross braces (2)/ 3x25mm CS screws (8)
4929R	Bulkheads (l & r) (rear) (grey)
5134	Caster spacers (4)/ shims (4)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5347	Rod ends, Revo® (large) with hollow balls (12)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
4917R	Shock tower (for rectangular body posts)
5132R	Suspension arms (lower) (2) (fits T-Maxx®/E-Maxx)
5131R	Suspension arms (upper) (2) (fits T-Maxx®/E-Maxx)
5161	Suspension screw pin set, hardened steel (hex drive)
4956	Tie bar, rear (1) /3x18mm BCS (2) (fits T-Maxx®/E-Maxx)
5143A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)

Recoil Starter

5277	Shaft, starter (TRX® 2.5, 2.5R, 3.3)
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)

Shocks (Pro-level Aluminum)

2666	Big Bore shock cylinder (XX-long) (1)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
4962	Big Bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled) w/ red springs, TiN shafts (8 pack)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)

2742X	Rod ends, short (6)/ hollow balls (6)
3962	Set (grub) screws, 3x25mm (8)/ 3mm nylon locknuts (8)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
4649R	Springs, red (for big bore shocks) (2.5 rate) (2)

Shocks (Ultra Shocks)

3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
4957R	Springs, progressive rate (for Ultra-Shocks only) (progressive rate) (f/r) (4)
3757R	Springs, rear (red) (2.9 rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3762A	Ultra shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)

Slipper Clutch Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5478	Flat wrench, 8mm (blue-anodized aluminum)
5366	Input shaft, transmission (slipper shaft)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)

Spur Gears

3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3957	Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)
3958	Spur gear, 58-tooth (0.8 metric pitch, compatible with 32-pitch)
3959	Spur gear, 62-tooth (0.8 metric pitch, compatible with 32-pitch)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
2072A	Gear set (for 2070, 2075 servos)
5347	Rod ends, Revo® (large) with hollow balls (12)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
4918	Servo mounts, steering/ shift (f&r) (black)
4918X	Servo mounts, steering/ shift (machined aluminum) (blue) (f&r)/ machine screws (8)
4918A	Servo mounts, steering/shift (f&r)(grey)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
4945	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer (requires 5x11mm BB (2))
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw

Suspension Linkage

1633	E-clips/ C-rings
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/adapters
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5161	Suspension screw pin set, hardened steel (hex drive)
5141A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage

4967	Brake cam (blue)/ cam lever/ 3mm set screw
3182	Collars, screw (2)/ set screws, 3mm (2)
3147X	Fuel line (610mm or 2ft)
3180	Rod guides (2)/ 3mm nylon locknuts (2)
4182	Servo horn, throttle-brake/ shift (1)
5167	Slide carb linkage bellcrank post/ 5x8x2.5 plastic bushing (2)/ bellcrank/ 5x8x0.5 fiber washer (2)/ 3x10 WM
5168	Slide carb linkage set (throttle link, brake link, and hardware)
4056	Spring, throttle return (2) (Jato®, T-Maxx® 2.5R, 3.3)
3184	Springs: throttle/brake/shift (3)

Tires & Wheels

4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955	Pins, axle (2.5x12mm) (4)
5666	Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664	Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667	Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665	Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5374X	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)
5674	Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5672	Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part # 5353X) (TSM rated)
4973R	Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5174A	Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)

5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5173	Tires & wheels, assembled, glued (SS (Split-Spoke) chrome wheels, Maxx® Chevron tires, foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)
5171	Tires, Maxx® Chevron 3.8" (2) (fits Revo®/T-Maxx®/E-Maxx)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
5370	Tires, Talon 3.8" (2)/ foam inserts (2)
4954	Wheel hubs, hex (2)/ axle pins (2.5x12mm) (2)
4954R	Wheel hubs, hex (steel)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5372A	Wheels, Gemini 3.8" (black chrome) (2)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372	Wheels, Gemini 3.8" (chrome) (2)
5671	Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373	Wheels, Hurricane 3.8" (chrome) (2)
5172A	Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
5172X	Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)
5172R	Wheels, SS (Split-Spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)
5172	Wheels, SS (Split-Spoke) 3.8" (satin) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)

Transmission Components

4611	Ball bearings (5x11x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5394X	Forward only conversion kit (eliminates reverse)
5394	Forward only shaft, steel (Revo®)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5181	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
5366	Input shaft, transmission (slipper shaft)
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))

4995X	Reverse installation kit (includes all components to add mechanical reverse (no Optidrive®) to T-Maxx® 3.3) (includes 2060 sub-micro servo)
1647	Silicone grease
4983	Transmission, complete (fits T-Maxx® 3.3)
3981	Washer, PTFE-coated 6x9.5x.5 (10)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

4944	Bellcrank posts, aluminum (2)/ steering link threaded rod (3x25mm)/ long rod ends (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
5141A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143A	Toe links, T-Maxx®/E-Maxx (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (112mm, front) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5143R	Toe links, T-Maxx®/E-Maxx (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (124mm, rear) (2)/ rod ends (4)/ aluminum wrench (1) (For T-Maxx®/E-Maxx models w/sealed pivot ball suspension & 3.8" wheels)
5141	Turnbuckles, toe links (5.0mm steel) (front) (2)
5143	Turnbuckles, toe links (5.0mm steel) (rear) (2)

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5394X	Forward only conversion kit (eliminates reverse)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW