



Bandit (Model 24054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|------|--|
| 4607 | Ball bearings (5x11x4mm) (8) |
| 4608 | Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 4606 | Ball bearings (5x8x2.5mm) (8) (for wheels only) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 1675 | Bushings, self-lubricating (5x11x4mm) (14) |
| 3775 | Bushings, self-lubricating (5x8x2.5mm) (12) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |

Body & Accessories

| | |
|-------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1834 | Body clips (12) (standard size) |
| 1815 | Body washers (8) |
| 6716 | Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4) |
| 2417 | Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet |
| 2449 | Body, Bandit, Hawaiian graphics (painted, decals applied) |
| 2420 | Body, Bandit, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ decal sheet |
| 2448 | Body, Bandit, Rock n' Roll (painted, decals applied) |
| 2514 | Decal sheet, racing sponsors |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 5185 | Tires, rubber (2) (fits Traxxas® wheelie bar wheels) |
| 4974 | Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) |
| 3677A | Wheelie bar mount (1) / hardware (green) |
| 3677P | Wheelie bar mount (1) / hardware (pink) |
| 3677 | Wheelie bar mount (1)/ hardware (black) |
| 3677X | Wheelie bar mount (1)/ hardware (blue) |
| 3678 | Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 3678X | Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 3678A | Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 3678P | Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 4976 | Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) |
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |
| 5186 | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |
| 2615 | Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) |
| 2414 | Wing wire |

Chassis & Attachments

| | |
|-------|--|
| 3727 | Battery hold-down plate (black)/ metal posts (2)/body clips (2) |
| 3727A | Battery hold-down plate (grey) / metal posts (2) / body clips (2) |
| 3628 | Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) |
| 2735 | Bumper (front) |
| 2735P | Bumper (front) (pink) |
| 3722X | Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate) |
| 3722R | Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate) |
| 3725R | Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) |
| 3629 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 5185 | Tires, rubber (2) (fits Traxxas® wheelie bar wheels) |
| 3723 | Upper chassis (black) |
| 3723A | Upper chassis (grey) |
| 4974 | Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) |
| 3677A | Wheelie bar mount (1) / hardware (green) |
| 3677P | Wheelie bar mount (1) / hardware (pink) |
| 3677 | Wheelie bar mount (1)/ hardware (black) |
| 3677X | Wheelie bar mount (1)/ hardware (blue) |
| 3678 | Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 3678X | Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series) |

| | |
|-------|--|
| 3678A | Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 3678P | Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series) |
| 4976 | Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) |
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |
| 5186 | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |

Differential Components

| | |
|-------|--|
| 2380 | Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash) |
| 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) |
| 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel |
| 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) |
| 1647 | Silicone grease |

Driveline Components

| | |
|-------|--|
| 4628R | Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) |
| 4628X | Differential output yokes, hardened steel (w/ U-joints) (2) |
| 2751 | Half-shaft pro-pack (internal-splined (6)/external-splined (6)) (plastic shafts only) |
| 1651 | Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) |
| 3652 | Stub axle carriers (2) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2754 | Stub axle pins (4) |
| 2753X | Stub axles, rear (2) |

Front Suspension & Steering

| | |
|-------|---|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 4606 | Ball bearings (5x8x2.5mm) (8) (for wheels only) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 2530 | Bulkhead (front) (black) |
| 2530A | Bulkhead (front) (grey) |
| 2432 | Caster blocks (l&r) (30-degree) |
| 2437 | Front axles (2) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3744 | Servo saver w/adapters |
| 3639 | Shock tower (front) |
| 3636 | Steering blocks (l&r) |
| 3736 | Steering blocks, left & right (2) (requires 5x11x4mm bearings) |
| 3636A | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3636G | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3636P | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3636X | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2531X | Suspension arms (front) (2) |
| 3740 | Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks) |
| 2640 | Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) |

Page 2 Bandit: TQ 2.4GHz Radio (Model 24054-4) Parts List

| | |
|------|---|
| 2537 | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw |
| 2532 | Tie bar, fiberglass (requires suspension pins, part# 2640) |
| 2444 | Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 2445 | Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) |

Hardware

| | |
|-------|---|
| 3642 | Shoulder screws, Ultra shocks (3x12) (6) |
| 1552 | Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench |
| 4363 | Ball screws (3x12mm) (lower shock attachment screws) (6) |
| 1834 | Body clips (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3980 | Glow plug wrench (universal wrench) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3739 | Screw pin set (Rustler®/ Bandit/ Stampede®) |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2587 | Screws, 3x10mm cap-head machine (6) (no washer) |
| 2675 | Screws, 3x10mm roundhead self-tapping (6) |
| 2648 | Screws, 3x12mm countersunk self-tapping (6) |
| 2676 | Screws, 3x12mm roundhead self-tapping (6) |
| 3186 | Screws, 3x12mm washerhead machine (6) |
| 3286 | Screws, 3x12mm washerhead self-tapping (6) |
| 2649 | Screws, 3x15mm countersunk self-tapping (6) |
| 2563 | Screws, 3x15mm roundhead machine (6) |
| 3187 | Screws, 3x15mm washerhead machine (6) |
| 3288 | Screws, 3x15mm washerhead self-tapping (6) |
| 2566 | Screws, 3x20mm roundhead machine (6) |
| 2567 | Screws, 3x23mm roundhead machine (6) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 2558 | Screws, 3x6mm roundhead machine (6) |
| 3185X | Screws, 3x8mm washerhead machine (large head for motor mount) (6) |
| 3290 | Screws, 3x8mm washerhead self-tapping (6) |
| 2548 | Screws, 4x12mm countersunk machine (100-degree) (6) |
| 3167 | Screws, 4x15mm countersunk machine (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 2754 | Stub axle pins (4) |
| 3740 | Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks) |
| 2637 | Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) |
| 2537 | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw |
| 2746 | Washers, 3x6mm metal (12) |
| 2615 | Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) |

Motors & Electronics

| | |
|-------|---|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1552 | Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench |
| 2260 | BEC assembly (complete) |
| 3790 | Gear adapter, fixed |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 1275 | Motor, Stinger (20-turn, 540 size) |
| 3785 | Motor, Titan® 12T (12-Turn, 550 size) |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 3725R | Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2053 | Servo gears (for 2055, 2056 servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |

| | |
|-------|---|
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2056 | Servo, high-torque, waterproof (blue case) |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R)) |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|---|
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2942X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2952X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2984 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2260 | BEC assembly (complete) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6541 | Connector, power tap (with cable) (long)/ wire tie |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6554 | Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6518 | Receiver, micro, TQi 2.4GHz with telemetry (5-channel) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2053 | Servo gears (for 2055, 2056 servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2056 | Servo, high-torque, waterproof (blue case) |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |

Page 3 Bandit: TQ 2.4GHz Radio (Model 24054-4) Parts List

| | |
|-------|---|
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Ready-To-Race Model

24054-4 Bandit: 1/10 Scale Off-Road Buggy with TQ 2.4GHz radio system

Rear Suspension

| | |
|-------|---|
| 3638 | Shock tower (rear) |
| 3652 | Stub axle carriers (2) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2753X | Stub axles, rear (2) |
| 2750R | Suspension arms, long (rear) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) |

Shocks (Pro-level Aluminum)

| | |
|-------|---|
| 2664 | Big Bore shock cylinder (long) (1) |
| 2666 | Big Bore shock cylinder (XX-long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2765 | Shock shafts, steel, chrome finish (X-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 5860 | Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |
| 5859 | Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |

Shocks (Ultra Shocks)

| | |
|-------|--|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 3765A | Body, Ultra Shock(s) (long) (grey) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (grey) (2) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |

| | |
|-------|---|
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2765T | Shock shafts, hardened steel, titanium nitride coated (X-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2765 | Shock shafts, steel, chrome finish (X-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 2458 | Springs, front (black) (2) |
| 2458P | Springs, front (pink) (2) |
| 2458A | Springs, front (white) (2) |
| 2457 | Springs, rear (black) (2) |
| 2457P | Springs, rear (pink) (2) |
| 2457A | Springs, rear (white) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--|
| 3793 | Input shaft (slipper shaft) / spring pin |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |

Spur Gears & Pinion Gears

| | |
|------|--|
| 3790 | Gear adapter, fixed |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 2421 | Gear, 21-T pinion (48-pitch) / set screw |
| 2423 | Gear, 23-T pinion (48-pitch) / set screw |
| 2426 | Gear, 26-T pinion (48-pitch)/set screw |
| 2431 | Gear, 31-T pinion (48-pitch) / set screw |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| 4676 | Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

Steering Components

| | |
|-------|---|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3744 | Servo saver w/adapters |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 3743 | Steering bellcranks (I&R)/ draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 2537 | Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw |
| 1937 | Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) |

2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Suspension Linkage

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
 2441A Camber link set for Bandit (grey) (plastic/ non-adjustable)
 2441 Camber link set for Bandit (plastic/ non-adjustable)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
 2742 Rod ends, long (6)/ hollow ball connectors (6)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 2742X Rod ends, short (6)/ hollow balls (6)
 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
 3740 Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
 1935 Turnbuckles, 36mm (2)
 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514 Decal sheet, racing sponsors
 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

3775 Bushings, self-lubricating (5x8x2.5mm) (12)
 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
 1647 Silicone grease
 2754 Stub axle pins (4)
 2471A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
 2478A Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
 2470R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias 2.2" tires) (2) (Bandit rear, soft compound with foam inserts)
 2471R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, soft compound w/ foam inserts)
 2479R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
 2478R Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
 4740 Tires, 2.1" Pro-Trax ribbed (front) (2)
 1771 Tires, 2.1" spiked (front) (2)
 1770 Tires, 2.15 spiked (rear) (2)
 2470 Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
 2471 Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
 2478 Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
 2479 Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)
 3471 Tires, street slicks (front) (2)
 3470 Tires, street slicks (rear) (2)
 2475 Wheels, front (2)
 2474 Wheels, rear (2)
 2473A Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)
 2472A Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)
 2473 Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
 2472 Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)

Transmission Components

1552 Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
 4607 Ball bearings (5x11x4mm) (8)

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)
 5478 Flat wrench, 8mm (blue-anodized aluminum)
 3790 Gear adapter, fixed
 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
 5148 Grease, white lithium
 3696 Idler gear, steel (30-tooth)
 3793 Input shaft (slipper shaft) / spring pin
 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
 1647 Silicone grease
 5556 Slipper pressure plate & hub (aluminum alloy)
 3195 Top drive gear, steel (22-tooth)
 3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)

Traxxas Tools

3433X Body reamer (aluminum handle)
 3433 Body reamer (plastic handle)
 3436 Cap, body reamer
 3432 Scissors, curved tip
 3431 Scissors, straight tip
 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
 8721 Speed bit handle, medium (one piece)
 8720 Speed bit handle, premium, large (rubber overmold)
 8722 Speed bit handle, premium, medium (rubber overmold)
 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
 2742 Rod ends, long (6)/ hollow ball connectors (6)
 5347 Rod ends, Revo® (large) with hollow balls (12)
 2742X Rod ends, short (6)/ hollow balls (6)
 2537 Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw
 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
 1935 Turnbuckles, 36mm (2)
 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)