

LaserFoams are offered in 4 graduations:

**Basic (B)** for cars about 3.5 kg (7.7 lbs) complete weight

**Heavy Duty (HD)** for cars with more than 3.5 kg (7.7 lbs) complete weight

**WP magic (WP)** for heavy cars round about ca. 4.5 kg (9.9 lbs) complete weight, especially for heavy trucks, waterproof.

**HD Strong (S)** only for 2.2 tires with 120 mm (4.72") diameter and 35 to 40 mm ( 1.37" to 1.57") width. (special edition)

👍 Fits perfect

👍👉 Fits well, possible cutting required

👉 Limited performance

👉👉 Individuell cutting required

🚫 No recommendation

Manufacturer	Description	Art-No	Ø *	W	Recommendation
<b>1.55 Tires</b>					
Axial	BF Goodrich Baja T/A KR2 2.65	AX31526	67	24	🚫
RC4WD	Dirt Grabber	Z-T0021	76	24	🚫
Axial	BF Goodrich Krawler T/A Tires 3.2	AX31521	81	30	🚫
RC4WD	Mickey Thompson Baja MTZ	Z-T0058	84	27	🚫
BoomRacing	Road Tracker Crawler	BRTR15501	88	24	🚫
RC4WD	Goodyear Wrangler MT7R	Z-T0159	90	38	👉👉 1.55 R90x35 HD / WP
RC4WD	Mud Thrashers 1.55	Z-T0100	93	35	👉 1.55 R90x35 HD / WP
RC4WD	Rock Crusher X/T 1.55	Z-T0053	94	35	👍 1.55 R90x35 HD / WP
RC4WD	Interco Ground Hawg II	Z-T0155	95	35	👍 1.55 R90x35 HD / WP
RC4WD	Dick Cepek Fun Country 1.55	Z-T0124	95	36	👍 1.55 R90x35 HD / WP
RC4WD	Interco Irok ND	Z-T0163	97	43	👉👉 1.55 R90x35 HD / WP
RC4WD	Scrambler Offroad	Z-T0152	98	44	👉👉 1.55 R90x35 HD / WP
Pt Bull	Rock Beast	PB9013AK	98	34	👍👉 1.55 R90x35 HD / WP
RC4WD	Rock Stompers 1.55	Z-T0007	103	36	👍 1.55 R98x35 HD / WP
RC4WD	Mud Slingers 1.55	Z-T0006	104	38	👍 1.55 R98x35 HD / WP
Pit Bull	Xtreme RC Growler AT/Extra 1.55	PB9005NK	106	36	👍 1.55 R103x35 HD / WP
RC4WD	Mickey Thompson Baja ATZ	Z-T0148	108	42	👍👉 1.55 R103x35 HD / WP
RC4WD	Interco Irok	Z-T0056	111	44	🚫
RC4WD	Mickey Thompson Baja Claw	Z-T0064	114	41	🚫
<b>1.9 Tires</b>					
BoomRacing	KRT Crawler Tire 90	BRK623011	87	41	🚫
RCmodelex	MT-S-Terrain	G19 Z-T8882	90	41	🚫
MST	KM Crawler Tire	101036	90	30	🚫
BoomRacing	Mud Terrain Trophy BR-T29A	BRTR19393	93	24	👍👉 1.9 R92x35 B / HD / WP
RC4WD	MUD Slingers 1.9" Tires	Z-T0050	93	36	👍👉 1.9 R92x35 B / HD / WP
BoomRacing	KRT Crawler Tire 96	BRK623012	94	41	👍👉 1.9 R92x35 B / HD / WP
RC4WD	Dick Cepek Fun Country 1.9" Scale Tires	Z-T0116	94	33	👍👉 1.9 R92x35 B / HD / WP
RCmodelex	AST-Street	G19 Z-T8884	95	38	👍 1.9 R92x35 B / HD / WP
Proline	Chisel	1152-14	95	37	👍 1.9 R92x35 B / HD / WP
Hot Bodies	Rover red	HB67913	95	48	🚫
RC4WD	Prowler XS Scale 1.9 tires	Z-T0086	96	34	👍 1.9 R92x35 B / HD / WP
RC4WD	Rock Creepers 1.9 Scale Tires	Z-T0049	96	38	👍 1.9 R92x35 B / HD / WP
RCmodelex	MT-V-Terrain	G19 Z-T8883	96	41	👍👉 1.9 R92x35 B / HD / WP
RCmodelex	Mex Offroad	G19 Z-T8886	96	35	👍 1.9 R92x35 B / HD / WP

\* tire outer diameter

The recommendation relates to the tire dimensions. Particularly at the border areas of the recommendations the individual tire shape and condition as well as the personal driving style should be considered.

LaserFoams are offered in 4 graduations:

**Basic (B)** for cars about 3.5 kg (7.7 lbs) complete weight

**Heavy Duty (HD)** for cars with more than 3.5 kg (7.7 lbs) complete weight

**WP magic (WP)** for heavy cars round about ca. 4.5 kg (9.9 lbs) complete weight, especially for heavy trucks, waterproof.

**HD Strong (S)** only for 2.2 tires with 120 mm (4.72") diameter and 35 to 40 mm ( 1.37" to 1.57") width. (special edition)

↑ Fits perfect

↑ → Fits well, possible cutting required

→ Limited performance

→ → Individuell cutting required

↓ No recommendation

RC4WD	Dick Cepek FC-II 1.9" Tire	Z-T0119	96	30	↑ → 1.9 R92x35 B / HD / WP
RC4WD	Goodyear Wrangler Duratrac	Z-T0050	97	37	↑ 1.9 R92x35 B / HD / WP
RC4WD	Hawkeye	Z-T0062	97	31	↑ → 1.9 R92x35 B / HD / WP
RC4WD	Mud Thrashers 1.9 Scale Tires	Z-T0051	98	37	↑ 1.9 R92x35 B / HD / WP
RC4WD	Dirt Grabber 1.9" All Terrain Tires	Z-T0005	98	31	↑ → 1.9 R92x35 B / HD / WP
RCmodelex	Street Tires	G19 Z-T8891	98	29	↑ → 1.9 R92x35 B / HD / WP
RCmodelex	DG-Street	G19 Z-T8893	98	29	↑ → 1.9 R92x35 B / HD / WP
RCmodelex	MTG-Off	G19 Z-T8889	99	42	↓
RC4WD	Atturo Trail Blade X/T	Z-T0154	100	34	↑ → 1.9 R98x35 B / HD / WP
BoomRacing	KRT Crawler Tire for Defender	BRQ32486	100	30	↑ → 1.9 R98x35 B / HD / WP
RC4WD	Dick Cepek 1.9 Mud Country Scale Tires	Z-T0034	100	39	↑ → 1.9 R98x35 B / HD / WP
RC4WD	Mud Plugger 1.9 Scale Tires	Z-T0004	101	32	↑ → 1.9 R98x35 B / HD / WP
RC4WD	DUKW 1.9" Military Offroad Tires	Z-T0011	101	32	↑ → 1.9 R98x35 B / HD / WP
RC4WD	Trail Buster 1.9 Scale Tires	Z-T0098	103	34	↑ 1.9 R98x35 B / HD / WP
Pit Bull	PBX A/T Hardcore	PB9010NK	103	32	↑ 1.9 R98x35 B / HD / WP
RC4WD	Genius Ingorante	Z-T0140	104	39	↑ → 1.9 R98x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	Scrambler Offroad	Z-T0144	104	43	→ 1.9 R101x35 HD / WP
RC4WD	Flashpoint 1.9 Military Offroad Tires	Z-T0082	104	39	↑ 1.9 R98x35 B / HD / WP
RC4WD	Tomahawk 1.9 Scale Tires	Z-T0099	104	36	↑ 1.9 R98x35 B / HD / WP
RC4WD	USSR 1.9 Scale Military Tires	Z-T0041	105	31	↑ → 1.9 R98x35 B ↑ 1.9 R101x35 HD / WP
BoomRacing	KRT Crawler Tire 108	BRK623013	105	42	↑ → 1.9 R98x35 B ↑ → 1.9 R101x35 HD / WP
Gmade	MT1901	GM70164	105	42	↑ → 1.9 R98x35 B ↑ → 1.9 R101x35 HD / WP
RC4WD	Krypton 1.9 Scale Tires	Z-T0130	105	39	↑ → 1.9 R98x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	Genius SEM Limites 2 1.9 Scale Tires	Z-T0128	105	37	↑ → 1.9 R98x35 B ↑ 1.9 R101x35 HD / WP
GMADE	MT1901 Offroad Reifen 1.9	GM70164	105	38	↑ → 1.9 R98x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	Mickey Thompson 1.9 Baja Claw Scale Tires	Z-T0060	106	40	↑ → 1.9 R104x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	Mickey Thompson 1.9 Baja MTZ Scale Tires	Z-T0061	106	33	↑ → 1.9 R104x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	MIL-Spec ZXL 1.9 Tire	Z-T0075	106	41	↑ → 1.9 R104x35 B ↑ 1.9 R101x35 HD / WP
RC4WD	Dick Cepek Extreme Country	Z-T0147	106	46	↑ → 1.9 R104x40 WP
RC4WD	Goodyear Wrangler MT/R 1.9x4.19	Z-T0160	106	38	↑ → 1.9 R104x35 B ↑ 1.9 R101x35 HD / WP
BoomRacing	Hustler M/T Xtreme 1.9MC1	BRTR19000	106	37	↑ → 1.9 R104x35 B ↑ 1.9 R101x35 HD / WP

\* tire outer diameter

The recommendation relates to the tire dimensions. Particularly at the border areas of the recommendations the individual tire shape and condition as well as the personal driving style should be considered.

LaserFoams are offered in 4 graduations:

**Basic (B)** for cars about 3.5 kg (7.7 lbs) complete weight

**Heavy Duty (HD)** for cars with more than 3.5 kg (7.7 lbs) complete weight

**WP magic (WP)** for heavy cars round about ca. 4.5 kg (9.9 lbs) complete weight, especially for heavy trucks, waterproof.

**HD Strong (S)** only for 2.2 tires with 120 mm (4.72") diameter and 35 to 40 mm ( 1.37" to 1.57") width. (special edition)

👍 Fits perfect

👍👉 Fits well, possible cutting required

👉 Limited performance

👉👉 Individuell cutting required

🛑 No recommendation

Pit Bull	Braven Ironside	PB9015AK	106	34	👍👉 1.9 R104x35 B 👍 1.9 R101x35 HD / WP
Proline	Class 1 Hyrax (4.19)	10142-14	106	36	👍👉 1.9 R104x35 B 👍 1.9 R101x35 HD / WP
RC4WD	Rock Crusher X/T 1.9 Tires	Z-T0052	107	39	👍 1.9 R104x35 B / HD / WP
RC4WD	Mud Slinger 2 XL 1.9" Scale Tires	Z-T0121	107	38	👍 1.9 R104x35 B / HD / WP
RC4WD	Challenger 1.9 Scale Tires	Z-T0108	108	36	👍 1.9 R104x35 B / HD / WP
RC4WD	Atturo Trail Blade	Z-T0137	108	44	👍👉 1.9 R104x40 WP
RC4WD	Michelin X Force XZL 14.00R20	Z-T0141	108	35	👍 1.9 R104x35 B / HD / WP
RCmodelex	Mex Offroad	G19 Z-T8888	108	42	👉 1.9 R104x35 B / HD / WP
RCmodelex	GTX-IIAA	G19 Z-T8890	108	39	👍 1.9 R104x35 B / HD / WP
RCmodelex	GTX-II	G19 Z-T8895	108	39	👍 1.9 R104x35 B / HD / WP
Gmade	MT1902	GM70244	108	40	👍👉 1.9 R104x35 B / HD / WP
Gmade	MT1903	GM70284	109	40	👍👉 1.9 R104x35 B / HD / WP
Axial	1.9 Ripsaw Tires - R35 Compound (2pcs)	AX12016	109	38	👍 1.9 R104x35 B / HD / WP
Proline	Interco TSL SX Super Swamper 1.9" G8	1163-14	109	38	👍 1.9 R104x35 B / HD / WP
Proline	BF Goodrich AT KO2	10124-14	110	36	👍 1.9 R104x35 B / HD / WP
RC4WD	Fuel Offroad Mud Gripper	Z-T0138	110	39	👍 1.9 R104x35 B / HD / WP
RC4WD	Rock Crusher II X/T 1.9 Tires	Z-T0030	110	44	👉 1.9 R109x40 HD / WP
RC4WD	Militia Army Truck Tires	VVV-S0195	111	40	👉 1.9 R109x40 HD / WP
RC4WD	Trail Rider	Z-T0136	112	42	👍 1.9 R109x40 HD / WP
Pit Bull	Rock Beast R/C 1.9 Scale Tires	PB9003NK	113	43	👍 1.9 R109x40 HD / WP
BoomRacing	Hustler M/T Xtreme 4.45x1.57	BRTR19001	113	40	👍 1.9 R109x40 HD / WP
RCmodelex	GMT-1	G19 Z-T8885	113	40	👍 1.9 R109x40 HD / WP
BoomRacing	Mountain Rain Crawler	BRQ90273	114		
RC4WD	Mud Basher 1.9" Scale Tractor Tires	Z-T0115	114	32	👍👉 1.9 R112x35 B / HD / WP
RCmodelex	Dakar	G19 Z-T8892	115	37	👍👉 1.9 R112x35 B / HD / WP
RCmodelex	Dakar II M/T	G19 Z-T8894	115	37	👍👉 1.9 R112x35 B / HD / WP
RC4WD	Rok Lox 1.9 Comp Tires	Z-T0093	115	38	👍👉 1.9 R112x35 B / HD / WP
Pit Bull	Rock Beast XOR	PB9014AK	115	48	👍 1.9 R109x45 HD XOR
RC4WD	Gladiator Scale 1.9 Tires	Z-T0101	116	42	👍 1.9 R109x40 HD 👉 1.9 R112x35 B / HD / WP
RC4WD	Mickey Thompson 1.9 Baja MTZ 4.6" Scale Tires	Z-T0123	117	47	👍 1.9 R112x40 WP
Axial	Maxxis Trepador Tires - R35 Compound	AX12019	117	38	👍 1.9 R112x35 B / HD / WP
Vaterra	Interco TSL SX Super Swamper	094VTR43018	117	41	👍👉 1.9 R112x35 B / HD 👍 1.9 R112x40 WP
Louise	CR-Ardent	L-T3232VI	117	45	👉 1.9 R116x40 HD 👍 1.9 R112x40 WP
Duratrax	Approach CR	DTXC4018	117	42	👉 1.9 R116x40 HD 👍 1.9 R112x40 WP

\* tire outer diameter

The recommendation relates to the tire dimensions. Particularly at the border areas of the recommendations the individual tire shape and condition as well as the personal driving style should be considered.

LaserFoams are offered in 4 graduations:

**Basic (B)** for cars about 3.5 kg (7.7 lbs) complete weight

**Heavy Duty (HD)** for cars with more than 3.5 kg (7.7 lbs) complete weight

**WP magic (WP)** for heavy cars round about ca. 4.5 kg (9.9 lbs) complete weight, especially for heavy trucks, waterproof.

**HD Strong (S)** only for 2.2 tires with 120 mm (4.72") diameter and 35 to 40 mm ( 1.37" to 1.57") width. (special edition)

👆 Fits perfect

👆👉 Fits well, possible cutting required

👉 Limited performance

👉👉 Individuell cutting required

🚫 No recommendation

Duratrax	Showdown CR	DTXC4019	117	42	👉 1.9 R116x40 HD 👆 1.9 R112x40 WP
Pit Bull	Mad Beast Scale RC	PB9007NK	118	39	👆👉 1.9 R112x35 B / HD 👆 1.9 R112x40 WP
Traxxas	Canyon Trail (TRX-4)	TRX8270	118	48	👆 1.9 R116x40 HD 👆 1.9 R112x40 WP
RC4WD	Interco Irok 1.9 Scale Tires	Z-T0054	118	47	👆 1.9 R116x40 HD 👆 1.9 R112x40 WP
Louise	CR-Griffin	L-T3230VI	119	49	👆 1.9 R116x45 HD
Duratrax	Scaler CR	DTXC4016	119	42	👆 1.9 R116x40 HD / WP
Axial	Nitto Trail Grappler M/T	AX31565	119	37	👆👉 1.9 R116x40 HD / WP
Axial	BF Goodrich All Terrain T/A KO2	AX31412	119	45	👆 1.9 R116x40 HD / WP
Axial	1.9 BFGoodrich Krawler T/A	AX31093	119	44	👆 1.9 R116x40 HD / WP
Axial	1.9 Falken Wildpeak M/T	AX31143	119	39	👆 1.9 R116x40 HD / WP
RC4WD	Mickey Thompson 1.9 Baja Claw TTC Scale Tires	Z-T0048	120	44	👆 1.9 R116x40 HD / WP
Proline	BFGoodrich KR2 1.9 G8 Rock Terrain	10118-14	120	45	👆 1.9 R116x40 HD / WP
RC4WD	Interco Ground Hawg II	Z-T0156	120	42	👆 1.9 R116x40 HD / WP
RC4WD	Goodyear Wrangler MT/R 1.9x4.75	Z-T0158	120	42	👆 1.9 R116x40 HD / WP
BoomRacing	Hustler M/T Xtreme 1.9MC2	BRTR19002	120	45	👆 1.9 R116x40 HD / WP
Pit Bull	Growler AT Extra	PB9006AK	120	46	👆 1.9 R116x40 HD / WP
Pit Bull	Rock Beast XL	PB9011NK	120	43	👆 1.9 R116x40 HD / WP
MST	MG Crawler Tire	101037	120	40	👆 1.9 R116x40 HD / WP
JConcepts	Scorpions All Terrain Scaling Tire	3057	120	38	👆👉 1.9 R116x40 HD / WP
Proline	Hyrax XL G8	10128-14	120	45	👆 1.9 R116x40 HD / WP
Proline	Hyrax XL Predator Super Soft	10128-03	120	45	👆 1.9 R116x40 HD / WP
Louise	CR-Champ	L-T3231VI	120	50	👆 1.9 R116x45 HD
Duratrax	Deep Wood CR	DTXC4017	120	42	👆 1.9 R116x40 HD / WP
RC4WD	COMPASS 1.9 SCALE TIRES	Z-T0113	120	44	👆 1.9 R116x40 HD / WP
Ottsix	Voodoo 1.9 KLR Gold Compound	19KLR-G	120	44	👆 1.9 R116x40 HD / WP
RC4WD	Interco Super Swamper 1.9 TSL/Bogger Scale Tire	Z-T0046	121	40	👆 1.9 R116x40 HD / WP
RC4WD	Attitude M/T	Z-T0149	121	42	👆 1.9 R116x40 HD / WP
Louise	CR-Rowdy	L-T3233VI	121	50	👆 1.9 R116x45 HD
Gmade	MT1904	GM70304	121	45	👆 1.9 R116x40 HD / WP
Proline	BF Goodrich Krawler T/A KX	10136-14	121	44	👆 1.9 R116x40 HD / WP
Proline	Flat Iron XL 1.9" G8	10112-00	121	47	👆 1.9 R116x45 HD / WP
Proline	Interco TSL SX Super Swamper XL 1.9" G8	1197-14	121	44	👆 1.9 R116x40 HD / WP
RC4WD	Falken Wildpeak A/T	Z-T0135	123	46	👉 1.9 R116x40 HD / WP 👉 1.9 R116x45 HD
Jconcepts	Rupture All Terrain Scaling Tire	3053	125	45	🚫
Proline	Interco Bogger	10133-14	137	49	🚫

\* tire outer diameter

The recommendation relates to the tire dimensions. Particularly at the border areas of the recommendations the individual tire shape and condition as well as the personal driving style should be considered.