



Slash (Model 58024) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607	Ball bearings (5x11x4mm) (8)
2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1675	Bushings, self-lubricating (5x11x4mm) (14)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
1815	Body washers (8)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
6811	Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet
6811R	Body, Slash 4X4, heavy duty (clear, untrimmed, requires painting)/ window masks/ decal sheet
6811X	Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet
6849	Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)
2514	Decal sheet, racing sponsors
5813	Decal Sheet, Slash
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
5846	Paint masks, body

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5835	Bumper, front/ bumper mount, front (black)
5835P	Bumper, front/ bumper mount, front (pink)
5836	Bumper, rear/ bumper mount, rear (black)
5836P	Bumper, rear/ bumper mount, rear (pink)
5830	Chassis conversion kit, low CG (Slash)
5832	Chassis, low CG (black)
5832A	Chassis, low CG (blue)
5832G	Chassis, low CG (grey)
5822	Chassis, Slash
5822A	Chassis, Slash (black)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
5831	Lower chassis, low CG (black)
5831A	Lower chassis, low CG (blue)
5831G	Lower chassis, low CG (grey)
5823	Nerf bars, chassis (black)
5833	Nerf bars, low CG (black)
5833A	Nerf bars, low CG (blue)
5833G	Nerf bars, low CG (grey)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5837	Skidplates, front & rear (black)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (black)
3677X	Wheelie bar mount (1)/ hardware (blue)
3678	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)
3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)
3678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)

5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Differential Components

2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6)
1647	Silicone grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
9053X	Stub axle, rear, steel-splined constant velocity (1)
2753X	Stub axles, rear (2)
6853X	Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

3637	Axles (front) (2)
2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)

Page 2 Slash: TQ 2.4GHz Radio (Model 58024) Parts List

3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
3631L	Suspension arms, white, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747X	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)

2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete)
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
2943	Battery charge indicators (green (4), blue (4), grey (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6541	Connector, power tap (with cable) (long)/ wire tie
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)

Page 3 Slash: TQ 2.4GHz Radio (Model 58024) Parts List

2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554	Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

58024	Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2.4GHz radio system
-------	---

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)

2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)
2555G	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555R	Suspension arms, red, rear, heavy duty (2)
2555L	Suspension arms, white, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
5857P	Springs, front (pink) (progressive rate) (2)
2458A	Springs, front (white) (2)
5857	Springs, front (white) (progressive rate) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
5858P	Springs, rear (pink) (progressive rate) (2)
3757X	Springs, rear (white) (2)
5858	Springs, rear (white) (progressive rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)

Page 4 Slash: TQ 2.4GHz Radio (Model 58024) Parts List

3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
2431	Gear, 31-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/adapters
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747X	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5880	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)

Page 5 Slash: TQ 2.4GHz Radio (Model 58024) Parts List

5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5881	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6870	Tires, Kumho (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
5871	Tires, off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)
5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)

5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
3790	Gear adapter, fixed
3691	Gearbox halves (l&r) (black) w/ idler gear shaft
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

Page 6 Slash: TQ 2.4GHz Radio (Model 58024) Parts List

8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail support@Traxxas.com

TRAXXAS.COM